

PLASTIC ATTACHED LID CONTAINERS

NESTABLE



MATERIAL : HDPE TEMP : (-40 TO 70) C° PROCESSING : ASSEMBLED JOINT : STAINLESS STEEL STD COLORS

(CABLE TIE) BARCODE ✓ RFID ✓

No	CODE - SHAPE	SHAPE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	NEST HEIGHT	ON PALLET LOADING			W/O PALLET LOADING	
										1 PALLET 20FT 40HC	20FT	40HC	20FT	40HC
1	ALC-4030(26)	B	40 x 30 x 26 cm	1.65 kg	31.5 x 23.5 x 22.5 cm	16 L	18 kg	5 PCs	7.5 cm	140 158	1400	3480	1740	4100
2	ALC-5432(33.5)	B	54 x 32 x 33.5 cm	3 kg	50 x 29.5 x 29.8 cm	60 L	35 kg	5 PCs	8.5 cm	126 140	1020	2500	1200	3080
A 3	ALC-6040(26)	A	60 x 40 x 26 cm	2.9 kg	52.4 x 34.1 x 23.9 cm	43 L	30 kg	5 PCs	12 cm	60 68	600	1500	720	1800
4	ALC-6040(28.5)	C	60 x 40 x 28.5 cm	2.88 kg	54.5 x 37.5 x 26.5 cm	54 L	30 kg	5 PCs	12 cm	60 68	600	1500	720	1800
5.1	ALC-6040(31.5)	B	60 x 40 x 31.5 cm	3 kg	50.5 x 32.5 x 28.5 cm	56 L	30 kg	5 PCs	8.5 cm	80 90	800	2000	1000	2500
A 5.2	ALC-6040(31.5)	A	60 x 40 x 31.5 cm	3.1 kg	52.4 x 34.1 x 29.4 cm	56 L	35 kg	5 PCs	12 cm	60 68	600	1500	720	1800
6	ALC-6040(33.5)	C	60 x 40 x 33.5 cm	3.1 kg	54.5 x 37.5 x 32 cm	60 L	35 kg	5 PCs	835 cm	80 90	800	2000	1000	2500
A 7	ALC-6040(36.5)	A	60 x 40 x 36.5 cm	3.3 kg	52.4 x 34.1 x 34.4 cm	62 L	40 kg	5 PCs	12 cm	60 68	600	1500	720	1800
A 8	ALC-6040(41.2)	A	60 x 40 x 41.2 cm	3.5 kg	51.6 x 33.3 x 38.5 cm	74 L	40 kg	5 PCs	12 cm	56 65	560	1440	680	1720
A 9	ALC-6040(46.2)	A	60 x 40 x 46.2 cm	3.7 kg	51.4 x 33.1 x 43.2 cm	85 L	40 kg	5 PCs	12 cm	56 65	560	1440	680	1720
10	ALC-7557(62.5)	C	75 x 57 x 62.5 cm	8.1 kg	55 x 46 x 57.5 cm	172 L	45 kg	5 PCs	9.5 cm				459	1254

A ANCHOR BARCODE IS AVAILABLE

FOLDABLE PLASTIC CRATE

FOLDABLE



MATERIAL : PP

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1	FLC-6412	60 x 40 x 12 cm	1.4 kg	56 x 36 x 10 cm	20 L	15 kg	10 PCs		
2	FLC-6414	60 x 40 x 14 cm	1.5 kg	56 x 36 x 12 cm	24 L	15 kg	10 PCs		
3	FLC-6417	60 x 40 x 17 cm	1.7 kg	56 x 36 x 15 cm	30 L	20 kg	10 PCs		
4	FLC-6418	60 x 40 x 18 cm	1.9 kg	56 x 36 x 16 cm	32 L	30 kg	10 PCs		
5	FLC-6422	60 x 40 x 22 cm	1.8 kg	56 x 36 x 20 cm	40 L	30 kg	10 PCs		
6	FLC-6426	60 x 40 x 26 cm	2.28 kg	56 x 36 x 24 cm	48 L	45 kg	10 PCs		
7	FLC-6430	60 x 40 x 30 cm	2.29 kg	56 x 36 x 28 cm	56 L	45 kg	10 PCs		
8	FLC-6434	60 x 40 x 34 cm	2.5 kg	56 x 36 x 32 cm	63 L	45 kg	10 PCs		

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE

FOLDABLE PLASTIC CRATE - VEGETABLE & FRUITS

FOLDABLE

A



B



MATERIAL : PP

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	A	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
									20FT	40HC
1	403014W	A	40 x 30 x 14 cm	0.9 kg	36.6 x 26.6 x 12.8 cm	12 L	15 kg	10 PCs	4452	10800
2	403017W	A	40 x 30 x 17 cm	1 kg	36.5 x 26.5 x 15 cm	14.5 L	15 kg	10 PCs	4452	10800
3	403022W	A	40 x 30 x 22 cm	1.2 kg	36 x 26 x 19.7 cm	18.5 L	15 kg	10 PCs	4452	10800
4	604012W	A	60 x 40 x 12 cm	1.4 kg	56 x 36 x 10.5 cm	21 L	25 kg	10 PCs	2650	6480
5	604014W	A	60 x 40 x 14 cm	1.5 kg	56 x 36 x 12 cm	24 L	25 kg	10 PCs	2226	5400
6	604018W	A & B	60 x 40 x 18 cm	1.8 kg	56 x 36 x 16 cm	32 L	30 kg	10 PCs	2226	5400
7	604022W	A & B	60 x 40 x 22 cm	2 kg	56 x 36 x 20 cm	40 L	30 kg	10 PCs	3240	7875
8	604026W	A & B	60 x 40 x 26 cm	2.28 kg	56 x 36 x 24.5 cm	50 L	30 kg	10 PCs	2226	5400
9	604030W	A & B	60 x 40 x 30 cm	2.29 kg	56 x 36 x 27.5 cm	55 L	45 kg	10 PCs	2160	5250
10	604034W	A & B	60 x 40 x 34 cm	2.5 kg	56 x 36 x 32 cm	64 L	45 kg	10 PCs	2160	5250
11	533631C	A	53.5 x 36 x 31.2 cm	2.3 kg	50.3 x 32.3 x 28.5 cm	46 L	40 kg	10 PCs	1750	4250
12	605017W	A	60 x 50 x 17 cm	1.9 kg	56 x 46 x 15 cm	38 L	45 kg	10 PCs	1080	2880
13	605034W	A	60 x 60 x 34 cm	3.1 kg	56 x 46 x 32 cm	82 L	45 kg	10 PCs	1080	2880
14	6333257W	A	63 x 33 x 24.7 cm	1.9 kg	60.5 x 30.5 x 23.7 cm	44 L	45 kg	10 PCs	1000	2500
15	633337W	A	63 x 33 x 37 cm	2.8 kg	60 x 30 x 35.9 cm	64.5 L	45 kg	10 PCs	1000	2500
16	805850W		80 x 58 x 50 cm	6.19 kg	75 x 52.5 x 48.5 cm	190 L	80 kg	10 PCs	533	1296

FOLDABLE PLASTIC BOX - HOUSEHOLD

FOLDABLE



MATERIAL : PP

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID




No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1	362627W	36 x 26 x 27 cm	1.2 kg	33 x 23 x 26 cm	20 L	20 kg	10 PCs	3100	7500
2	422823W	41.8 x 28.5 x 23 cm	0.9 kg	38.5 x 25.8 x 21.5 cm	21 L	20 kg	10 PCs	2850	6912
3	5336295W	53 x 36 x 29.5 cm	1.6 kg	49.3 x 32.5 x 28.5 cm	46 L	30 kg	10 PCs	1300	3150
4	533624W	53 x 36 x 24 cm	2.1 kg	49 x 33.7 x 22 cm	36 L	30 kg	10 PCs	1300	3150
5	5336326W	53 x 36 x 32.6 cm	2.4 kg	49 x 33.7 x 31 cm	63 L	40 kg	10 PCs	1300	3150
6	5336365W	53 x 36 x 36.5 cm	2 kg	49 x 33.7 x 36 cm	58 L	30 kg	10 PCs	1300	3150
7	6544345W	65 x 44 x 34.5 cm	3.2 kg	61 x 40 x 33 cm	80 L	40 kg	10 PCs	1270	3090
8	604035W	60 x 40 x 34.5 cm	2.8 kg	56 x 36 x 33 cm	66 L	30 kg	10 PCs	1400	3456

L LID (COVER) IS AVAILABLE

Enlightening Plast

FOLDABLE PLASTIC BOX - LOGISTIC STORAGE

FOLDABLE



MATERIAL : PP

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1	400-148	40 x 30 x 14.8 cm	1.3 kg	36.5 x 26.5 x 14 cm	13 L	20 kg	10 PCs	2800	6900
2	400-170	40 x 30 x 17 cm	1.25 kg	36.5 x 26.5 x 16 cm	15 L	20 kg	10 PCs	2800	6900
3	400-230	40 x 30 x 23 cm	1.5 kg	36.5 x 26.5 x 22 cm	21 L	20 kg	10 PCs	2800	6900
4	400-280	40 x 30 x 28 cm	2.1 kg	36.5 x 26.5 x 27 cm	26 L	30 kg	10 PCs	2800	6900
5	500-180	53 x 41 x 18 cm	2 kg	50 x 38 x 17 cm	32 L	30 kg	10 PCs	1700	4200
6	500-240	53 x 41 x 24 cm	2.3 kg	50 x 38 x 23 cm	44 L	35 kg	10 PCs	1700	4200
7	500-300	53 x 41 x 30 cm	2.6 kg	50 x 38 x 29 cm	55 L	40 kg	10 PCs	1700	4200
8	600-150	60 x 40 x 14.8 cm	2 kg	56.5 x 36.5 x 14 cm	28 L	30 kg	10 PCs	1400	3400
9	600-175	60 x 40 x 17.5 cm	2.25 kg	56.5 x 36.5 x 16.5 cm	34 L	30 kg	10 PCs	1400	3400
10	600-230	60 x 40 x 23 cm	2.5 kg	56.5 x 36.5 x 21.5 cm	44 L	35 kg	10 PCs	1400	3400
11	600-280	60 x 40 x 23 cm	2.75 kg	56.5 x 36.5 x 26.5 cm	55 L	40 kg	10 PCs	1400	3400
12	600-340	60 x 40 x 34 cm	3 kg	56.5 x 36.5 x 32.5 cm	67 L	60 kg	10 PCs	1400	3400
13	600-450	60 x 40 x 45 cm	3.7 kg	55.5 x 36 x 42 cm	84 L	70 kg	10 PCs	1200	3200
14	EUO-8623	80 x 60 x 23 cm	4.7 kg	76.5 x 56 x 21.5 cm	92 L	80 kg	10 PCs	500	1200
15	EUO-8628	80 x 60 x 28 cm	5.4 kg	76.5 x 56 x 26.5 cm	95 L	80 kg	10 PCs	500	1200
16	EUO-8633	80 x 60 x 34 cm	6 kg	76.5 x 56.5 x 32.5 cm	140 L	80 kg	10 PCs	500	1200

Enlightening Plast

INSECT BREEDING TRAY

STACKABLE




6040-145

- PRODUCT NAME: INSECT BREEDING TRAY
- EXTERNAL SIZE: 600 x 400 x 145 MM
- INTERNAL SIZE: 565 x 369 x 70 MM
- WEIGHT: 0.88 KG
- FEATURES: FOOD GRADE AND STACKABLE
- MATERIAL: HDPE VIRGIN OR PP VIRGIN
- STACK CAPACITY: 150 KG | LOAD CAPACITY: 30 KG
- HS CODE: 3923100090





6040-190

- PRODUCT NAME: INSECT BREEDING TRAY
- EXTERNAL SIZE: 600 x 400 x 190 MM
- INTERNAL SIZE: 565 x 369 x 100 MM
- WEIGHT: 1.33 KG
- FEATURES: FOOD GRADE AND STACKABLE
- MATERIAL: HDPE VIRGIN OR PP VIRGIN
- STACK CAPACITY: 150 KG | LOAD CAPACITY: 30 KG
- HS CODE: 3923100090



8060-190

- PRODUCT NAME: INSECT BREEDING TRAY
- EXTERNAL SIZE: 800 x 600 x 190 MM
- INTERNAL SIZE: 758 x 558 x 100 MM
- WEIGHT: 3.3 KG
- FEATURES: FOOD GRADE AND STACKABLE
- MATERIAL: HDPE VIRGIN OR PP VIRGIN
- STACK CAPACITY: 150 KG | LOAD CAPACITY: 30 KG
- HS CODE: 3923100090



FOLDABLE PLASTIC CRATE

FOLDABLE



MATERIAL : PP TEMP : (-40 TO 70) C° PROCESSING : ONE TIME INJECTION STD COLORS ■ ■ ■ ■ RFID

CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
						20FT	40HC
1	392*392*372MM	1.72KG	304*304*352MM	16 Quart	10MM		6600PC
2	395*295*260MM	1.33KG	369*263*251MM	26 Quart	9MM		7000PC
3	540*360*300MM	2.3KG	508*328*289.5MM	26 Quart	9MM		3900PC

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE *REAL PHOTOS* FOR THE NEEDED CODE

PLASTIC BEER CRATE

STACKABLE



MATERIAL : PP TEMP : (-40 TO 70) C° PROCESSING : ONE TIME INJECTION STD COLORS RFID
✓


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	BOTTLE	DIAMETER	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1	BC-12 bottles A	34.5 x 26 x 32 cm	1.3 kg	33 x 24.5 x 30.5 cm	12	80x80 mm	10 PCs	1100	2450
2	BC-12 bottles B	40 x 30 x 32.5 cm	1.5 kg	x x cm	12	88x88 mm	10 PCs	1100	2450
3	BC-15 bottles	40.8 x 25.2 x 26.5 cm	1.2 kg	38.4 x 22.8 x 25 cm	15	72x72 mm	10 PCs	550	1350
4	BC-20 bottles	45 x 36.5 x 31.5 cm	2.09 kg	42 x 33.5 x 30.5 cm	20	80x80 mm	10 PCs	540	1314
5	BC-24 bottlesA	53 x 36 x 32 cm	2.13 kg	50 x 33 x 30 cm	24	80x80 mm	10 PCs	450	1100
6	BC-24bottlsB	45.5 x 30 x 27.5 cm	1.75 kg	x x cm	24	66x66 mm	10 PCs	850	2020
7	BC-24bottlsC	42.5 x 28 x 24.5 cm	1.3 kg	x x cm	24	60x60 mm	10 PCs	850	2020
8	BC-40bottles	77.3 x 33.2 x 24.8 cm	2.75 kg	x x cm	40	70x70 mm	10 PCs	480	1183

L LID (COVER) IS AVAILABLE

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE REAL PHOTOS FOR THE NEEDED CODE

NESTABLE VENTED PLASTIC CRATES

NEST - STACK



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	NEST HEIGHT	CONTAINER LOADING W/O PT	
									20FT	40HC
1	CR-NS-VT-A-5837(21)	58 x 37 x 21 cm	1.5 kg	55 x 34 x 20 cm	37 L	15 kg	10 PCs	6.5 cm	1600	4000
2.1	CR-NS-VT-A-5836(34)01	58.5 x 36.5 x 34 cm	2.3 kg	55.5 x 33.5 x 32.5 cm	60 L	28 kg	10 PCs	11 cm	1020	2500
2.2	CR-NS-VT-A-5836(34)02	58.5 x 36.5 x 34 cm	2.5 kg	55.5 x 33.5 x 32.5 cm	60 L	30 kg	10 PCs	11 cm	1020	2500
3.1	CR-NS-VT-A-6242(16.5)	62.3 x 42.6 x 16.5 cm	1.28 kg	52.5 x 39.8 x 16 cm	33 L	15 kg	10 PCs	4.5 cm	2000	4800
3.2	CR-NS-VT-A-6242(31.5)	62.3 x 42.6 x 31.5 cm	2.12 kg	52.5 x 39.8 x 31 cm	64 L	20 kg	10 PCs	7 cm	1150	2850

NESTABLE VENTED PLASTIC CRATES - WITH STEEL HANDLE FOR STACKING

NEST - STACK



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID
✓

No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	NEST HEIGHT	CONTAINER LOADING W/O PT	
									20FT	40HC
1	CR-NS-VT-S-6343(30)	63 x 43 x 30 cm	1.85 kg	56 x 39 x 29.2 cm	63 L	30 kg	10 PCs	7 cm	1200	2945
2.1	CR-NS-VT-S-6847(36.5)01	68 x 47.8 x 36.5 cm	1.9 kg	63 x 43.8 x 35.5 cm	97 L	40 kg	10 PCs	6.5 cm	896	2244
2.2	CR-NS-VT-S-6847(36.5)02	68 x 47.8 x 36.5 cm	2.3 kg	63 x 43.8 x 35.5 cm	97 L	45 kg	10 PCs	6.5 cm	896	2244

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE REAL PHOTOS FOR THE NEEDED CODE

NESTABLE SOLID PLASTIC CRATES - FISH AND MEAT USE

NEST - STACK



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	NEST HEIGHT	CONTAINER LOADING W/O PT	
									20FT	40HC
1	CR-NS-SLD-A-5938(20)	59 x 38.5 x 20 cm	1.9 kg	51 x 35 x 19 cm	34 L	20 kg	10 PCs	6 cm	1980	4560
2.1	CR-NS-SLD-A-6242(16.5)	62.3 x 42.6 x 16.5 cm	1.55 kg	52.5 x 39.5 x 16 cm	33 L	20 kg	10 PCs	4.5 cm	2000	4800
2.2	CR-NS-SLD-A-6242(31.5)	62.3 x 42.6 x 31.5 cm	2.36 kg	52.5 x 39.5 x 31 cm	64 L	35 kg	10 PCs	6 cm	1150	2850

NESTABLE SOLID PLASTIC CRATES - WATER USE

NEST ONLY



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID
✓

No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	CONTAINER LOADING W/O PT	
								20FT	40HC
1	CR-NS-WT-5339(30)	53.5 x 39 x 30 cm	1.35 kg	49.5 x 34.5 x 29.2 cm	49.9 L	35 kg	5 cm	2770	6080
2	CR-NS-WT-6947(37.5)	69 x 47.5 x 37.5 cm	2.5 kg	64 x 42 x 35.5 cm	95.4 L	40 kg	6.5 cm	960	2380
L 3	CR-NS-WT-6948(37)	69.5 x 48 x 37 cm	2.95 kg	63 x 43.5 x 36 cm	98.7 L	40 kg	7 cm	896	2244
4	CR-NS-WT-7656(49.5)	76 x 56 x 49.5 cm	4.7 kg	70 x 50 x 48.5 cm	170 L	45 kg	8 cm	670	1680
5	CR-NS-WT-8161(59)	81.7 x 61 x 59 cm	5.5 kg	73 x 53 x 57.5 cm	222 L	45 kg	8.5 cm	441	1050
6	CR-NS-WT-8765(61.7)	87.7 x 65.5 x 61.7 cm	6.8 kg	80 x 57.5 x 61 cm	281 L	45 kg	9 cm	360	897

L LID (COVER) IS AVAILABLE

NESTABLE VENTED PLASTIC CRATES - WITH PLASTIC HANDLE FOR STACKING

NEST - STACK




MATERIAL : HDPE TEMP : (-40 TO 70) C° PROCESSING : ONE TIME INJECTION STD COLORS ■ ■ ■ ■ RFID ✓

No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	VOL	CAPACITY	MAX STACK	NEST HEIGHT	CONTAINER LOADING W/O PT	
								20FT	40HC
1	PLT-604010	60 x 40 x 10 cm	1.6 kg	24 L	25 kg	10 PCs	4.5 cm	2490	6050
2	PLT-604016	60 x 40 x 16 cm	1.14 kg	35 L	35 kg	10 PCs	4.5 cm	2490	6050
3	PLT-604019	60 x 40 x 19 cm	1.35 kg	45 L	45 kg	10 PCs	4.5 cm	2490	6050
4	PLT-604024	60 x 40 x 24 cm	1.95 kg	55 L	55 kg	10 PCs	7.5 cm	1400	3520
5	PLT-604030	60 x 40 x 30 cm	2.25 kg	70 L	70 kg	10 PCs	7.5 cm	1400	3410
6	PLT-604039	60 x 40 x 39 cm	2.85 kg	90 L	90 kg	10 PCs	100 cm	990	2420

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE REAL PHOTOS FOR THE NEEDED CODE

PLASTIC DRYING TRAY

STACKABLE



MATERIAL : PP

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	HOLE SIZE	MAX STACK	MANUAL LOADING (NO PALLETS)	
							20FT	40HC
1	DT-002#1	81 x 59.5 x 7 cm	1.6 kg /	x x cm	7 mm	10 PCs	1000	2460
2	DT-002#2	81 x 59.5 x 7 cm	1.6 kg	x x cm	3.5 mm	10 PCs	1000	2460
3	DT-003#2	73 x 43 x 7 cm	1.2 kg	x x cm	7 mm	10 PCs	1300	3150
4	DT-004#1	59 x 39 x 6.5 cm	0.71 kg	x x cm	6 mm	10 PCs	1950	4600
5	DT-005#1	88 x 48 x 7 cm	1.43 kg	x x cm	8 mm	10 PCs	1260	2300
6	DT-006	72 x 42 x 7 cm	1.13 kg	x x cm	10 mm	10 PCs	1300	3830
7	DT-009#2	67.5 x 67.5 x 8 cm	1.78 kg	x x cm	7 mm	10 PCs	800	2000
8	DT-010#2	46.5 x 46.5 x 7.5 cm	0.97 kg	x x cm	9.2 mm	10 PCs	2100	4400
9	DT-012	73.5 x 50.5 x 8 cm	1.57 kg	x x cm	6 mm	10 PCs	950	2300
10	DT-014#1	80 x 60 x 4.5 cm	1.68 kg	x x cm	7 mm	10 PCs	1400	3900
11	DT-014#2	80 x 60 x 4.5 cm	1.97 kg	x x cm	3 mm	10 PCs	1400	3900
12	DT-016#1	60 x 40 x 5 cm	0.81	x x cm	7 mm	10 PCs	3100	7500
13	DT-016#2	60 x 40 x 5 cm	0.85	x x cm	3 mm	10 PCs	3100	7500

L


LID (COVER) IS AVAILABLE

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE *REAL PHOTOS* FOR THE NEEDED CODE

Enlightening Plast

STACKABLE SOLID PLASTIC CRATES - FOOD GRADE

STACKABLE



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1	CR-ST-SLD-A-1712(5.5)	17.6 x 12.3 x 5.5 cm	0.1 kg	15.5 x 11 x 5 cm	0.853 L	15 kg	5 PCs	26961	62016
2	CR-ST-SLD-A-2114(6.3)	21.3 x 14.5 x 6.3 cm	0.13 kg	18.5 x 12.8 x 5.5 cm	1.302 L	18 kg	5 PCs	15984	37632
3	CR-ST-SLD-A-2518(7.8)	25.5 x 18 x 7.8 cm	0.22 kg	21.8 x 16.5 x 7 cm	2.518 L	18 kg	5 PCs	8970	20774
4	CR-ST-SLD-A-3120(8.8)	31.5 x 20.5 x 8.8 cm	0.36 kg	27.5 x 19 x 8 cm	4.18 L	18 kg	5 PCs	5346	12540
5	CR-ST-SLD-A-3524(12.2)	34.8 x 24 x 12.2 cm	0.55 kg	32 x 21.5 x 11.5 cm	7.912 L	18 kg	5 PCs	2907	6732
6	CR-ST-SLD-A-3526(12.5)	35.5 x 26.7 x 12.5 cm	0.615 kg	32 x 24 x 12.2 cm	9.37 L	20 kg	5 PCs	2432	5544
7	CR-ST-SLD-A-3725(6.5)	37.3 x 25.4 x 6.5 cm	0.31 kg	34.5 x 22.5 x 6 cm	4.658 L	15 kg	5 PCs	4860	11808
8.1	CR-ST-SLD-A-3931(8.9)	38.8 x 31 x 8.9 cm	0.55 kg	36 x 27.8 x 8 cm	8.006 L	18 kg	5 PCs	2730	6510
8.2	CR-ST-SLD-A-3931(11.5)	38.8 x 31 x 11.5 cm	0.6 kg	36 x 27.8 x 10.5 cm	10.51 L	18 kg	5 PCs	2100	4991
9	CR-ST-SLD-A-3924(10)	39 x 24 x 10 cm	0.55 kg	34.5 x 21.5 x 9 cm	6.676 L	18 kg	5 PCs	3105	7020
10	CR-ST-SLD-A-4131(15)	41.5 x 31.2 x 15 cm	0.85 kg	38 x 27.7 x 14.5 cm	15.26 L	18 kg	5 PCs	1470	3451
11	CR-ST-SLD-A-4334(20)	43 x 34 x 20 cm	1.25 kg	39.2 x 30.5 x 19 cm	22.72 L	18 kg	5 PCs	858	2184
12	CR-ST-SLD-A-4429(8)	43.8 x 29.3 x 8 cm	0.45 kg	41 x 26 x 7 cm	7.462 L	18 kg	5 PCs	2639	7128
13	CR-ST-SLD-A-4430(11.3)	44 x 29.7 x 11.3 cm	0.85 kg	40 x 27.2 x 10.5 cm	11.42 L	20 kg	5 PCs	1911	4347
L 14.1	CR-ST-SLD-A-4935(17.4)	48.6 x 35.5 x 17.4 cm	1.4 kg	45 x 32 x 16.5 cm	23.76 L	18 kg	5 PCs	936	2160
L 14.2	CR-ST-SLD-A-4935(24.5)	48.6 x 35.5 x 24.5 cm	1.75 kg	45 x 32 x 23.5 cm	33.84 L	18 kg	5 PCs	648	1440
15	CR-ST-SLD-A-4933(17)	49 x 33.5 x 17 cm	1.42 kg	46 x 30.5 x 16 cm	22.45 L	18 kg	5 PCs	936	2520
16	CR-ST-SLD-A-4936(17)	49 x 36.5 x 17 cm	1.4 kg	46 x 33.5 x 16.5 cm	25.43 L	20 kg	5 PCs	936	2160
17	CR-ST-SLD-A-5032(18)	50 x 32 x 18 cm	1.4 kg	47 x 29 x 16.8 cm	22.9 L	25 kg	5 PCs	1001	2352
18.1	CR-ST-SLD-A-5338(17)	53 x 38 x 17 cm	1.65 kg	46.5 x 35 x 16 cm	26.04 L	20 kg	5 PCs	858	1980

	18.2	CR-ST-SLD-A-5338(21)	53	x	38	x	21	cm	1.85	kg	46.5	x	35	x	20	cm	32.55	L	20	kg	5	PCs	726	1584
	18.3	CR-ST-SLD-A-5338(23)	53	x	38	x	23	cm	1.85	kg	46.5	x	35	x	22	cm	35.81	L	25	kg	5	PCs	660	1452
	18.4	CR-ST-SLD-A-5338(29)	53	x	38	x	29	cm	2.35	kg	46.5	x	35	x	28	cm	45.57	L	25	kg	5	PCs	792	1650
L	19.1	CR-ST-SLD-A-5341(19.2)	53.5	x	41.6	x	19.2	cm	1.6	kg	50	x	38	x	18	cm	34.2	L	30	kg	5	PCs	660	1430
L	19.2	CR-ST-SLD-A-5341(24)	53.5	x	41.6	x	24	cm	2.3	kg	50	x	38	x	23	cm	43.7	L	30	kg	5	PCs	495	1210
L	19.3	CR-ST-SLD-A-5341(26)	53.5	x	41.6	x	26	cm	2.5	kg	50	x	38	x	25	cm	47.5	L	30	kg	5	PCs	495	1100
L	19.4	CR-ST-SLD-A-5341(30)	53.5	x	41.6	x	30	cm	2.55	kg	50	x	38	x	29	cm	55.1	L	30	kg	5	PCs	550	1320
L	19.5	CR-ST-SLD-A-5341(33.2)	53.5	x	41.6	x	33.2	cm	2.65	kg	50	x	38	x	32	cm	60.8	L	35	kg	5	PCs	550	1320
L	19.6	CR-ST-SLD-A-5341(36)	53.5	x	41.6	x	36	cm	2.65	kg	50	x	38	x	35	cm	66.5	L	35	kg	5	PCs	495	1045
	20	CR-ST-SLD-A-5437(28.5)	54	x	37.5	x	28.5	cm	2.15	kg	51	x	34.5	x	27.5	cm	48.39	L	30	kg	5	PCs	480	1188
	21	CR-ST-SLD-A-5637(8.3)	55.7	x	37.5	x	8.3	cm	0.8	kg	52.3	x	34	x	7.5	cm	13.34	L	20	kg	5	PCs	1680	4032
	22	CR-ST-SLD-A-5839(14.8)	58	x	39	x	14.8	cm	1.4	kg	53.6	x	35.6	x	14.2	cm	27.1	L	30	kg	5	PCs	960	2160
	23	CR-ST-SLD-A-5936(26.5)	59.2	x	36.5	x	26.5	cm	2.1	kg	52.5	x	32.3	x	25.3	cm	42.9	L	30	kg	5	PCs	480	1200
	24	CR-ST-SLD-A-6038(12.8)	60	x	37.9	x	12.8	cm	1.3	kg	46	x	34.5	x	12	cm	19.04	L	25	kg	5	PCs	1188	2880
	25	CR-ST-SLD-A-6040(15)	60	x	40	x	15	cm	1.7	kg	55	x	36	x	14.5	cm	28.71	L	30	kg	5	PCs	675	1700
L	26.1	CR-ST-SLD-A-6049(30.3)	60.3	x	49.5	x	30.3	cm	3.2	kg	56	x	45.2	x	29	cm	73.4	L	35	kg	5	PCs	252	608
L	26.2	CR-ST-SLD-A-6049(36.4)	60.3	x	49.5	x	36.4	cm	3.5	kg	56	x	45.2	x	35	cm	88.59	L	40	kg	5	PCs	324	722
L	27.1	CR-ST-SLD-A-6142(11.5)	61	x	42	x	11.5	cm	1.45	kg	57.5	x	39	x	10.5	cm	23.55	L	25	kg	5	PCs	900	2185
L	27.2	CR-ST-SLD-A-6142(15.5)	61	x	42	x	15.5	cm	1.85	kg	57.5	x	39	x	14.5	cm	32.52	L	30	kg	5	PCs	675	1615
L	27.3	CR-ST-SLD-A-6142(18)	61	x	42	x	18	cm	1.86	kg	57.5	x	39	x	17	cm	38.12	L	30	kg	5	PCs	585	1330
L	27.4	CR-ST-SLD-A-6142(22)	61	x	42	x	22	cm	2.1	kg	57.5	x	39	x	21	cm	47.09	L	30	kg	5	PCs	450	1140
L	27.5	CR-ST-SLD-A-6142(26)	61	x	42	x	26	cm	2.56	kg	57.5	x	39	x	25	cm	56.06	L	30	kg	5	PCs	405	950
L	27.6	CR-ST-SLD-A-6142(31)	61	x	42	x	31	cm	2.3	kg	57.5	x	39	x	30	cm	67.28	L	35	kg	5	PCs	315	760
L	27.7	CR-ST-SLD-A-6142(36)	61	x	42	x	36	cm	2.3	kg	57.5	x	39	x	35	cm	78.49	L	40	kg	5	PCs	405	950
L	27.8	CR-ST-SLD-A-6142(38.5)	61	x	42	x	38.5	cm	3.15	kg	57.5	x	39	x	37.5	cm	84.09	L	40	kg	5	PCs	405	855
	28	CR-ST-SLD-A-6241(9.7)	62	x	41.3	x	9.7	cm	1.2	kg	58.5	x	38	x	8.5	cm	18.9	L	25	kg	5	PCs	1080	2565
	29	CR-ST-SLD-A-6444(16.5)	64	x	44	x	16.5	cm	1.8	kg	60.7	x	40.7	x	15.3	cm	37.8	L	30	kg	5	PCs	630	1440
	30	CR-ST-SLD-A-6544(35)	65	x	44	x	35	cm	3.18	kg	60.4	x	39.6	x	33	cm	78.93	L	40	kg	5	PCs	405	855
L	31	CR-ST-SLD-A-6648(41)	66.7	x	48.3	x	41	cm	4.7	kg	60	x	45	x	40	cm	108	L	40	kg	5	PCs	208	648
	32	CR-ST-SLD-A-7548(19.5)	75	x	48	x	19.5	cm	2.8	kg	68	x	45	x	17.8	cm	54.47	L	40	kg	5	PCs	336	832
	33	CR-ST-SLD-A-7655(46.5)	76.5	x	55	x	46.5	cm	5.9	kg	70	x	51	x	44.8	cm	159.9	L	45	kg	5	PCs	182	410
	34	CR-ST-SLD-A-8464(48)	84	x	64.2	x	48	cm	7.52	kg	78	x	58.2	x	46.7	cm	212	L	50	kg	5	PCs	126	273

L LID (COVER) IS AVAILABLE

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE

Enlightening Plast

STACKABLE SOLID PLASTIC CRATES - INDUSTRIAL USE

STACKABLE



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS



RFID
✓

L LID (COVER) IS AVAILABLE


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1.1	CR-ST-SD-B-3020(11.5)	30 x 20 x 11.5 cm	0.41 kg	25.5 x 15.5 x 9.5 cm	3 L	15 kg	5 PCs	4180	10120
1.2	CR-ST-SD-B-3020(14.7)	30 x 20 x 14.7 cm	0.58 kg	25.5 x 15.5 x 13 cm	5 L	18 kg	5 PCs	3344	7920
L 2.1	CR-ST-SD-B-4030(11.5)	40 x 30 x 11.5 cm	0.72 kg	35 x 25 x 9.5 cm	8 L	18 kg	5 PCs	1960	4830
L 2.2	CR-ST-SD-B-4030(14.8)	40 x 30 x 14.8 cm	0.77 kg	35 x 25 x 13 cm	11 L	18 kg	5 PCs	1568	3780
L 2.3	CR-ST-SD-B-4030(22)	40 x 30 x 22 cm	1.08 kg	35 x 25 x 20 cm	17.5 L	20 kg	5 PCs	980	2520
L 2.4	CR-ST-SD-B-4030(28)	40 x 30 x 28 cm	1.29 kg	35 x 25 x 26 cm	22 L	20 kg	5 PCs	1176	2730
L 3.1	CR-ST-SD-B-6040(11.5)	60 x 40 x 11.5 cm	1.2 kg	55 x 36 x 9.5 cm	18 L	20 kg	5 PCs	900	2300
L 3.2	CR-ST-SD-B-6040(14.8)	60 x 40 x 14.8 cm	1.58 kg	55 x 36 x 13 cm	25 L	25 kg	5 PCs	720	1800
L 3.3	CR-ST-SD-B-6040(22)	60 x 40 x 22 cm	2.04 kg	55 x 36 x 20 cm	39 L	30 kg	5 PCs	450	1200
L 3.4	CR-ST-SD-B-6040(28)01	60 x 40 x 28 cm	2.34 kg	55 x 36 x 26 cm	51 L	30 kg	5 PCs	360	900
L 3.5	CR-ST-SD-B-6040(28)02	60 x 40 x 28 cm	3.55 kg	55 x 36 x 26 cm	50 L	30 kg	5 PCs	360	900
L 3.6	CR-ST-SD-B-6040(32.5)	60 x 40 x 32.5 cm	2.55 kg	55 x 36 x 31 cm	61 L	35 kg	5 PCs	315	800
4	CR-ST-SD-B-6733(24.2)	67 x 33.2 x 24.2 cm	2.16 kg	63.5 x 30 x 22.5 cm	42 L	30 kg	5 PCs	504	1309
5	CR-ST-SD-B-6750(24.2)	67 x 50.5 x 24.2 cm	3.17 kg	63.5 x 46.5 x 22.5 cm	66 L	35 kg	5 PCs	288	748
6.1	CR-ST-SD-B-8060(23)	80 x 60 x 23 cm	4.02 kg	76.5 x 56.5 x 21 cm	90 L	40 kg	5 PCs	210	495
6.2	CR-ST-SD-B-8060(28)	80 x 60 x 28 cm	4.48 kg	76.5 x 56.5 x 26 cm	112 L	40 kg	5 PCs	168	405
6.3	CR-ST-SD-B-8060(34)	80 x 60 x 34 cm	5.25 kg	76.5 x 56.5 x 32.5 cm	140 L	50 kg	5 PCs	147	315
7	CR-ST-SD-B-10040(28)	100 x 40 x 28 cm	4.17 kg	94.5 x 35 x 27 cm	89 L	40 kg	5 PCs	200	540
8.1	CR-ST-SD-B-12040(23.5)	120 x 40 x 23.5 cm	4.72 kg	116 x 37 x 22.3 cm	95 L	40 kg	5 PCs	200	550
8.2	CR-ST-SD-B-12040(28)	120 x 40 x 28 cm	4.82 kg	116 x 37 x 26.8 cm	115 L	40 kg	5 PCs	160	450

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE

Enlightening Plast

STACKABLE VENTED PLASTIC CRATES

STACKABLE



MATERIAL : HDPE

TEMP : (-40 TO 70) C°

PROCESSING : ONE TIME INJECTION

STD COLORS




RFID



No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	VOL	CAPCITY	MAX STACK	MANUAL LOADING (NO PALLETS)	
								20FT	40HC
1.1	CR-ST-VT-A-3931(8.9)	38.8 x 31 x 8.9 cm	0.35 kg	36 x 27.8 x 8 cm	8 L	18 kg	5 PCs	2730	6510
1.2	CR-ST-VT-A-3931(11.5)	38.8 x 31 x 11.5 cm	0.55 kg	36 x 27.8 x 10.5 cm	10 L	18 kg	5 PCs	2100	4991
2	CR-ST-VT-A-4532(27.3)	45.3 x 31.6 x 27.3 cm	1.1 kg	43 x 29 x 26.2 cm	32 L	25 kg	5 PCs	1092	2366
3.1	CR-ST-VT-A-4735(17.4)	48.6 x 35.5 x 17.4 cm	0.95 kg	45 x 32 x 16.5 cm	23 L	25 kg	5 PCs	936	2160
3.2	CR-ST-VT-A-4735(24.5)	48.6 x 35.5 x 24.5 cm	1.3 kg	45 x 32 x 23.5 cm	33 L	30 kg	5 PCs	648	1440
4	CR-ST-VT-A-4935(26.9)	49.1 x 35.4 x 26.9 cm	1.55 kg	46 x 32.3 x 25.4 cm	37 L	30 kg	5 PCs	864	1872
5.1	CR-ST-VT-A-5136(29.3)	51.5 x 36.3 x 29.3 cm	1.95 kg	49.5 x 35 x 27.8 cm	48 L	30 kg	5 PCs	726	1725
5.2	CR-ST-VT-A-5136(31)	51.5 x 36.5 x 31 cm	1.85 kg	48.5 x 33.5 x 30 cm	48 L	30 kg	5 PCs	627	1656
6	CR-ST-VT-A-5236(31)	52.3 x 36.4 x 31 cm	1.66 kg	49 x 33.3 x 30 cm	48 L	30 kg	5 PCs	660	1656
7.1	CR-ST-VT-A-5341(19)	53.5 x 41.3 x 19 cm	1.15 kg	50 x 38 x 18 cm	34 L	25 kg	5 PCs	660	1540
7.2	CR-ST-VT-A-5341(26)	53.5 x 41.3 x 26 cm	1.35 kg	50 x 38 x 25 cm	47 L	30 kg	5 PCs	495	1100
7.3	CR-ST-VT-A-5341(22.8)	53.5 x 41.3 x 22.8 cm	1.35 kg	50 x 38 x 22 cm	41 L	30 kg	5 PCs	550	1210
7.4	CR-ST-VT-A-5341(30)	53.5 x 41.3 x 30 cm	1.58 kg	50 x 38 x 29 cm	55 L	30 kg	5 PCs	550	1320
7.5	CR-ST-VT-A-5341(33.5)	53.5 x 41.3 x 33.5 cm	1.7 kg	50 x 38 x 32 cm	60 L	30 kg	5 PCs	550	1320

8	CR-ST-VT-A-5539(28.5)	55	x	39	x	28.5	cm	1.6	kg	51	x	35.2	x	27.5	cm	48	L	30	kg	5	PCs	480	1134
9.1	CR-ST-VT-A-6049(30)	60	x	49.5	x	30	cm	2	kg	56	x	45.2	x	29	cm	73	L	35	kg	5	PCs	252	640
9.2	CR-ST-VT-A-6049(36)	60	x	49.5	x	36	cm	2.25	kg	56	x	45.2	x	35	cm	88	L	35	kg	5	PCs	324	800
10.1	CR-ST-VT-A-6142(36.3)	61	x	42.5	x	36.3	cm	2.35	kg	57.5	x	39	x	35	cm	78	L	35	kg	5	PCs	405	950
10.2	CR-ST-VT-A-6142(38.5)	61	x	42.5	x	38.5	cm	2.7	kg	57.5	x	39	x	37.5	cm	84	L	35	kg	5	PCs	405	855
10.3	CR-ST-VT-A-6142(11.5)	61	x	42.5	x	11.5	cm	1.1	kg	57.5	x	39	x	10.5	cm	23	L	25	kg	5	PCs	900	2185
10.4	CR-ST-VT-A-6142(15)	61	x	42.5	x	15	cm	1.2	kg	57.5	x	39	x	14.5	cm	32	L	30	kg	5	PCs	675	1615
10.5	CR-ST-VT-A-6142(18)	61	x	42.5	x	18	cm	1.3	kg	57.5	x	39	x	17	cm	38	L	30	kg	5	PCs	585	1330
10.6	CR-ST-VT-A-6142(22)	61	x	42.5	x	22	cm	1.65	kg	57.5	x	39	x	21	cm	47	L	30	kg	5	PCs	450	1140
10.7	CR-ST-VT-A-6142(26)	61	x	42.5	x	26	cm	1.75	kg	57.5	x	39	x	25	cm	56	L	30	kg	5	PCs	405	950
10.8	CR-ST-VT-A-6142(31)	61	x	42.5	x	31	cm	2.1	kg	57.5	x	39	x	30	cm	67	L	35	kg	5	PCs	315	760
11	CR-ST-VT-A-6848(41)	68.5	x	48.5	x	41	cm	3.15	kg	64	x	44	x	40	cm	112	L	40	kg	5	PCs	224	612
12	CR-ST-VT-A-7656(41.5)	76	x	56	x	41.5	cm	3.9	kg	72	x	51.5	x	40	cm	148	L	40	kg	5	PCs	196	540
13	CR-ST-VT-A-8055(37.5)	80	x	55	x	37.5	cm	3.45	kg	74.6	x	50	x	36.5	cm	136	L	40	kg	5	PCs	168	420
14.1	CR-ST-VT-A-8057(50.5)01	80.5	x	57.2	x	50.5	cm	4.15	kg	75.5	x	52.5	x	49.5	cm	196	L	45	kg	5	PCs	168	392
14.2	CR-ST-VT-A-8057(50.5)02	80.5	x	57.2	x	50.5	cm	4.75	kg	75.5	x	52.5	x	49.5	cm	196	L	50	kg	5	PCs	168	392
15.1	CR-ST-VT-A-8464(48)01	84	x	63.7	x	48	cm	4.5	kg	78	x	58	x	46.5	cm	210	L	50	kg	5	PCs	126	294
15.2	CR-ST-VT-A-8464(48)02	84	x	63.7	x	48	cm	5.5	kg	78	x	58	x	46.5	cm	210	L	55	kg	5	PCs	126	294
16	CR-ST-VT-A-9364(56)	93.5	x	64	x	56	cm	6.7	kg	89	x	59.5	x	54.5	cm	288	L	55	kg	5	PCs	108	216
17	CR-ST-VT-A-10068(54)	100.3	x	68	x	54	cm	7	kg	97.5	x	62.7	x	52.5	cm	320	L	55	kg	5	PCs	90	216

SMART AND NORMAL DOLLIES
SMART



MATERIAL : HDPE	TEMP : (-40 TO 70) C°	PROCESSING : ASSEMBLED	JOINT : ZINC COATED	STD COLORS	 	CUSTOMIZED WHEELS <input checked="" type="checkbox"/>	RFID <input checked="" type="checkbox"/>
-----------------	-----------------------	------------------------	---------------------	------------	---	---	--

No	CODE	SMART	EXTERNAL SIZE (± 3%)	CLEAR SIZE (± 3%)	WEIGHT ± 5%	CAPACITY	NEST HEIGHT	LOADING 20FT 40HC	STD WHEELS SPEC
1.1	DOLL-A-S-(56.5)(36.5)	✓	61.5 x 40.5 x 14.5 cm	A 56.5 x 36.5 cm	3.2 kg	150 kg	12 cm	782 1840	∅ 3" PU SWIVEL ZINC COAT
1.2	DOLL-A-N-(56.5)(36.5)	✗	57.5 x 37.5 x 14.5 cm		3 kg			1000 2400	
2	DOLL-A-S-(60)(40)	✓	60.5 x 40.5 x 14.5 cm	A 60 x 40 cm	3.3 kg	150 kg	12 cm	782 1840	∅ 3" PU SWIVEL ZINC COAT
3.1	DOLL-B-S-(74.5)(53.5)	✓	79.5 x 58.5 x 17.5 cm	B 74.5 x 53.5 cm	6.9 kg	175 kg	17.5 cm	364 900	∅ 3" PU SWIVEL ZINC COAT
3.2	DOLL-B-N-(74.5)(53.5)	✗	75 x 54 x 17.5 cm		6.6 kg			390 960	

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE

SMART AND NORMAL DOLLIES

SMART



MATERIAL : HDPE TEMP : (-40 TO 70) C° PROCESSING : ASSEMBLED JOINT : ZINC COATED STD COLORS ■ ■ CUSTOMIZED WHEELS RFID

No	SMART	EXTERNAL SIZE (± 3%)	CLEAR SIZE (± 3%)	CODE	WEIGHT ± 5%	CAPACITY	NEST HEIGHT	LOADING 20FT 40HC	STD WHEELS SPEC
4	<input checked="" type="checkbox"/>	60.5 x 40.5 x 15 cm	C 57 x 37.2 cm	DOLL-C-S-(57)(37.5)	2.32 kg	150 kg	10 cm	900 2000	Ø 3" PU SWIVEL ZINC COAT
5	<input checked="" type="checkbox"/>	60 x 40 x 12.5 cm	D 60 x 40 cm	DOLL-D-S-(60)(40)	3.52 kg	150 kg	12 cm	935 2200	Ø 3" PU SWIVEL ZINC COAT

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE

NORMAL DOLLIES
FOLDABLE


MATERIAL	: ASSEMBLED	JOINT : ZINC COATED	STD COLORS			CUSTOMIZED WHEELS ✓	RFID ✓
-----------------	--------------------	----------------------------	-------------------	---	---	-------------------------------	------------------

No	CODE	SURFACE SIZE (± 3%)	H1	H2	PRODUCT WEIGHT (± 5%)	LOAD CAPACITY	STD WHEELS SPEC
1	DOLL-NR-(73)(49)	73 x 49 cm	67.5 cm	15 cm	11.5 kg	150 kg	Ø 100 cm PU SWIVEL ZINC COATED
2	DOLL-NR-(91)(60)	91 x 60 cm	67 cm	19.2 cm	17 kg	300 kg	Ø 125 cm PU SWIVEL ZINC COATED

THE ATTACHED PHOTO ABOVE IS ONLY USED FOR ILLUSTRATION PURPOSES, IN ORDER TO SEE THE EXACT SHAPE PLEASE DON'T HESITAT TO REQUEST THE **REAL PHOTOS** FOR THE NEEDED CODE